## **Sample and Results Summary**

Date	Time	Sample Site	Zone	Address S	Sample ID Co	mplaint?	Results Received?
12/14/2016	11:47 p.m.	(b) (6)	3		(6) No		No
12/15/2016	12:07 a.m.		3		No	)	No
12/15/2016	12:25 a.m.		3		No	)	No
12/15/2016	12:37 a.m.		3		No	)	No
12/15/2016	12:51 a.m.		3		No	)	No
12/15/2016	1:15 a.m.		3		No	)	No
12/15/2016	5:43 p.m.		3		No	)	Yes
12/15/2016	6:06 p.m.		3		No	)	Yes
12/15/2016	6:40 p.m.		3		No	)	Yes
12/15/2016	7:00 p.m.		3		No	)	Yes
12/15/2016	7:20 p.m.		3		No	)	Yes
12/15/2016	6:00 p.m.		2		No	)	Yes
12/15/2016	6:35 p.m.		3		No	)	Yes
12/15/2016	7:09 p.m.		3		No	)	Yes
12/15/2016	7:25 p.m.		3		No	)	Yes
12/15/2016	8:00 p.m.		1		No	)	Yes
12/15/2016	12:07 p.m.				No	)	No
12/16/2016	11:23 a.m.		2		No	)	Yes
12/16/2016	12:30 p.m.		2		No	)	Yes
12/16/2016	3:05 p.m.		2		No	)	Yes
12/16/2016	2:45 p.m.		2		No	)	Yes
12/16/2016	4:04 p.m.		2		No	)	Yes
12/16/2016	3:45 p.m.		2		No	)	Yes
12/16/2016	2:19 p.m.		2		No	)	Yes
12/16/2016	1:52 p.m.		2		No	)	Yes
12/16/2016	1:25 p.m.		2		No	)	Yes
12/16/2016	12:05 p.m.		3		No	)	Yes
12/16/2016	2:10 p.m.		3		No	,	Yes
12/16/2016	2:35 p.m.		3		No	)	Yes
12/16/2016	3:25 p.m.		3		No	)	Yes
12/16/2016	12:35 p.m.		3		No	)	Yes
12/16/2016	1:25 p.m.		3		No	)	Yes
12/16/2016	1:00 p.m.		3		No	)	Yes
12/16/2016	3:10 p.m.		3		No	)	Yes
12/16/2016	1:45 p.m.		3		No	)	Yes
12/17/2016	2:15 a.m.		3		Yes	S	Yes
12/17/2016	2:30 a.m.		3		No	)	Yes
12/17/2016	9:36 p.m.		2		No	)	Yes
12/17/2016	10:00 p.m.		2		No		Yes
12/17/2016			2		No		Yes
12/17/2016	11:15 p.m.		2		No	)	Yes
12/17/2016	11:36 p.m.		2		No	)	Yes
12/17/2016	10:47 p.m.		2		No	)	Yes
12/17/2016	10:25 p.m.		2		No		Yes
12/17/2016	10:25 p.m.		3		No	, <del>-</del> 1	Yes

12/17/2016	11:20 n m	(b) (6)	3	(b) (6)	(b) (6)	No	Yes
	11:40 p.m.		3			No	Yes
	11:58 p.m.		3		-	No	Yes
12/17/2016	p		3			No	Yes
12/17/2016			3		-	No	Yes
	7:07 p.m.		1		_	Yes	Yes
	7:56 p.m.		3		_	Yes	Yes
	4:55 p.m.		3		-	Yes	Yes
	6:33 p.m.		2		-	Yes	Yes
	8:15 p.m		2		-	No	Yes
	6:57 p.m.		3		_	Yes	Yes
	8:15 p.m.		3		_	No	Yes
12/17/2016	4:40 p.m.		2		-	No	Yes
	5:12 p.m.		2		-	Yes	Yes
	12:07 a.m.		2			No	Yes
	12:37 a.m.		2			No	Yes
2/18/2016	1:50 a.m.		3			No	Yes
2/18/2016	12:55 a.m.		3			No	Yes
.2/18/2016	12:27 a.m.		3		_	No	Yes
2/18/2016	01:04 a.m.		3		_	No	Yes
2/18/2016	01:10 a.m.		3		-	No	Yes
2/18/2016	12:14 p.m.		3		-	No	No
2/18/2016	12:33 p.m.		3		-	No	No
2/18/2016	01:04 p.m.		3		-	No	No
2/18/2016	01:17 p.m.		3		-	No	No
2/18/2016	01:33 p.m.		3		-	No	No
2/18/2016	02:17 p.m.		3			No	No
2/18/2016	02:38 p.m.		3			No	No
2/18/2016	12:40 p.m.					Yes	No
2/18/2016	12:57 p.m.				_	Yes	No
	02:28 p.m.					Yes	No
2/18/2016	02:40 p.m.					Yes	No
2/18/2016	01:14 p.m.		3			No	No
2/18/2016	01:47 p.m.		3			No	No
2/18/2016	02:16 p.m.		3			No	No
2/18/2016	02:45 p.m.		3			No	No
2/18/2016	03:27 p.m.		2			No	No
2/18/2016	03:57 p.m.		2			No	No
2/18/2016	02:10 p.m.		2			No	No
2/18/2016	01:50 p.m.		2			No	No
2/18/2016	01:16 p.m.		2			No	No
2/18/2016	01:00 p.m.		2			No	No
.2/18/2016	12:47 p.m.		2			No	No
2/18/2016	12:20 p.m.		2			No	No
	11:56 a.m.		2			No	No

## **Sample Counts Summary**

Date	No. of Samples	No. of Complaints	No. of Complaint Samples	Number of Results Received
12/14/2016	1	0	0	0
12/15/2016	16	0	0	10
12/16/2016	18	0	0	18
12/17/2016	24	7	7	24
12/18/2016	31	3	4	7

Total Samples to Date:

Total Results Received:

Complaint Results Received:

7

Non-Complaint Results Received:

52

## **Corpus Christi Drinking Water System Samples**

16    12/15/2016   Indulin AA-86   ND						LC/MS Reporting		Lab Result	GCMS Reporting
(6)   12/15/2016   Indulin AA-86   ND	Sample ID	Sample Date	Analyte	-					
12/15/2016   Indulin AA-86   ND	b) (6)	12/15/2016	Indulin AA-86		_			•	
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND									
12/15/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/15/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86   ND   UJ   0.05   ND   UJ   0.25     12/16/2016   Indulin AA-86									
12/15/2016   Indulin AA-86   ND									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016   Indulin AA-86   ND									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/201									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indu									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-									
12/16/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         ND         UJ         0.05         ND         UJ         0.25           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26           12/17/2016         Indulin AA-86         -         -         -         ND         U         0.26									
12/17/2016       Indulin AA-86       ND       UJ       0.05       ND       UJ       0.25         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26									
12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26									
12/17/2016       Indulin AA-86       -       -       ND       U       0.26				ND	UJ	0.05			
12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26				-	-	-			
12/17/2016       Indulin AA-86       -       -       ND       U       0.26				-	-	-			
12/17/2016       Indulin AA-86       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26				-	-	-			
12/17/2016       Indulin AA-86       -       -       -       ND       U       0.26         12/17/2016       Indulin AA-86       -       -       ND       U       0.26			Indulin AA-86	-	-	-	ND		0.26
12/17/2016 Indulin AA-86 ND U 0.26			Indulin AA-86	-	-	-	ND		0.26
			Indulin AA-86	-	-	-	ND		0.26
12/17/2016 Indulin AA-86 ND U 0.27			Indulin AA-86	-	-	-	ND	U	
		12/17/2016	Indulin AA-86	-	-	-	ND	U	0.27

12/17/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/18/2016	Indulin AA-86	ı	1	1	ND	U	0.27
12/17/2016	Indulin AA-86	ı	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	1	ı	-	ND	U	0.27
12/18/2016	Indulin AA-86	1	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	ı	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	1	1	-	ND	U	0.26
12/18/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/18/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/18/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/18/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/18/2016	Indulin AA-86	1	1	-	ND	U	0.26
12/18/2016	Indulin AA-86	-	-	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	1	-	ND	U	0.26
12/17/2016	Indulin AA-86	-	-	-	ND	U	0.27

Date	Time	Sample Site	Zone	Address	Sample ID	Complaint?	Results Received?
12/14/2016	11:47 p.m.	(b) (6)	3	(b) (6)	(b) (6)	No	No

Total Samples: 1

Date	Time	Sample Site	Zone		Sample ID	Complaint?	Results Received?
12/15/2016	12:07 a.m.	(b) (6)	3	(b) (6)	(b) (6)	No	No
12/15/2016	12:25 a.m.		3			No	No
12/15/2016	12:37 a.m.		3			No	No
12/15/2016	12:51 a.m.		3			No	No
12/15/2016	1:15 a.m.		3			No	No
12/15/2016	5:43 p.m.		3			No	Yes
12/15/2016	6:06 p.m.		3			No	Yes
12/15/2016	6:40 p.m.		3			No	Yes
12/15/2016	7:00 p.m.		3			No	Yes
12/15/2016	7:20 p.m.		3			No	Yes
12/15/2016	6:00 p.m.		2			No	Yes
12/15/2016	6:35 p.m.		3			No	Yes
12/15/2016	7:09 p.m.		3			No	Yes
12/15/2016	7:25 p.m.		3			No	Yes
12/15/2016	8:00 p.m.		1			No	Yes
12/15/2016	12:07 p.m.		·			No	No

Total Samples: 16

Sample

Date	Time	Site	Zone	Address	Sample ID	Complaint?	Results Received?
12/16/2016	11:23 a.m.	(b) (6)	2	(b) (6)	(b) (6)	No	Yes
12/16/2016	12:30 p.m.		2			No	Yes
12/16/2016	3:05 p.m.		2			No	Yes
12/16/2016	2:45 p.m.		2			No	Yes
12/16/2016	4:04 p.m.		2			No	Yes
12/16/2016	3:45 p.m.		2			No	Yes
12/16/2016	2:19 p.m.		2			No	Yes
12/16/2016	1:52 p.m.		2			No	Yes
12/16/2016	1:25 p.m.		2			No	Yes
12/16/2016	12:05 p.m.		3			No	Yes
12/16/2016	2:10 p.m.		3			No	Yes
12/16/2016	2:35 p.m.		3			No	Yes
12/16/2016	3:25 p.m.		3			No	Yes
12/16/2016	12:35 p.m.		3			No	Yes
12/16/2016	1:25 p.m.		3			No	Yes
12/16/2016	1:00 p.m.		3			No	Yes
12/16/2016	3:10 p.m.		3			No	Yes
12/16/2016	1:45 p.m.		3			No	Yes

Total Samples:

18

Date	Time	Sample Site	Zone		Sample ID	Complaint?	Results Received?
12/17/2016	2:15 a.m.	(b) (6)	3	(b) (6)	(b) (6)	Yes	Yes
12/17/2016	2:30 a.m.		3			No	Yes
12/17/2016	9:36 p.m.		2			No	Yes
12/17/2016	10:00 p.m.		2			No	Yes
12/17/2016	11:53 p.m.		2			No	Yes
12/17/2016	11:15 p.m.		2			No	Yes
12/17/2016	11:36 p.m.		2			No	Yes
12/17/2016	10:47 p.m.		2			No	Yes
12/17/2016	10:25 p.m.		2			No	Yes
12/17/2016	10:25 p.m.		3			No	Yes
12/17/2016	11:20 p.m.		3			No	Yes
12/17/2016	11:40 p.m.		3			No	Yes
12/17/2016	11:58 p.m.		3			No	Yes
12/17/2016			3			No	Yes
12/17/2016			3			No	Yes
12/17/2016	7:07 p.m.		1			Yes	Yes
12/17/2016	7:56 p.m.		3			Yes	Yes
12/17/2016	4:55 p.m.		3			Yes	Yes
12/17/2016	6:33 p.m.		2			Yes	Yes
12/17/2016	8:15 p.m		2			No	Yes
12/17/2016	6:57 p.m.		3			Yes	Yes
12/17/2016	8:15 p.m.		3			No	Yes
12/17/2016	4:40 p.m.		2			No	Yes
12/17/2016	5:12 p.m.		2			Yes	Yes

Total Samples: 24

Date	Time	Sample Site	Zone	Address Sam	nple ID	Complaint?	Results Received?
12/18/2016	12:07 a.m.	(b) (6)	2	(b) (6)	(6)	No	Yes
12/18/2016	12:37 a.m.	-	2			No	Yes
12/18/2016	1:50 a.m.		3			No	Yes
12/18/2016	12:55 a.m.		3			No	Yes
12/18/2016	12:27 a.m.		3			No	Yes
12/18/2016	01:04 a.m.	-	3			No	Yes
12/18/2016	01:10 a.m.	-	3			No	Yes
12/18/2016	12:14 p.m.		3			No	No
12/18/2016	12:33 p.m.		3			No	No
12/18/2016	01:04 p.m.		3			No	No
12/18/2016	01:17 p.m.		3			No	No
12/18/2016	01:33 p.m.		3			No	No
12/18/2016	02:17 p.m.		3			No	No
12/18/2016	02:38 p.m.		3			No	No
12/18/2016	12:40 p.m.					Yes	No
12/18/2016	12:57 p.m.					Yes	No
12/18/2016	02:28 p.m.					Yes	No
12/18/2016	02:40 p.m.					Yes	No
12/18/2016	01:14 p.m.		3				No
12/18/2016	01:47 p.m.		3				No
12/18/2016	02:16 p.m.		3				No
12/18/2016	02:45 p.m.		3			No	No
12/18/2016	03:27 p.m.		2			No	No
12/18/2016	03:57 p.m.		2			No	No
12/18/2016	02:10 p.m.		2			No	No
12/18/2016			2				No
12/18/2016			2				No
12/18/2016	01:00 p.m.		2		_		No
12/18/2016	12:47 p.m.		2			No	No
12/18/2016	12:20 p.m.		2			No	No
12/18/2016	11:56 a.m.		2			No	No

Total Can	mulası	21			
Total San	ripies:	21			